

## **Pediatric Intake Form**

Please complete fully so we can help your child best

## Personal Information:

Child's Legal Name:	Today's Date://				
What he/she prefers to be called:					
Address:	City/State/ZIP:				
Home Phone:	Parent's Cell Phone:				
Birth date://	_ Age:				
Current School:					
Mother's Name:	Father's Name:				
Siblings Names and Ages:  Who may we thank for referring yo	our child?				
Favorite Hobbies or Interests:					
<ul><li>He/she is continuing care from</li><li>I recently had my spine check</li></ul>	ked and see the value in a family subluxation check-up.				
·	ere. (That's okay, we will take the time to explain what we do).				
	similar health concerns? If so, who?				
	r this problem:				
	with cancer? If so, what kind?				
Known Allergies:					
Number of doses of Antibiotics yo	ur child has taken:				
During the past 6 months:	_ Total during Lifetime:				
Number of doses of other prescrip	otion medications taken:				
During the past 6 months:	_ Total during Lifetime:				
List any current medications:					
List any past medications:					

signals that your child has had or has previously had:  Headaches Postural Imbalances Growing Pains Scoliosis  Asthma Allergies Ear Infections Seizures  Digestive Problems Bedwetting PDD/Autism ADD/ADHD  Other:  Prenatal and Birth History:  Adopted?  Complications during pregnancy? If so, please explain:  Ultrasounds during pregnancy? If so, please list type and amount:  Cigarette/Alcohol use during pregnancy? If so, please list type and amount:  Location of birth: Hospital Birthing Center Home  Birth Intervention: Mother Induced Mother Medicated (Pitocin, etc.)  Forceps Vacuum Extracted  Baby given Medication after delivery; List:  Complications during delivery? If so, please explain:  Genetic Disorders/Disabilities? If so, please explain:  Breast Fed? How long? Formula Fed? How long?  According to the National Safety Council, approximately 50% of children fall head first from a high place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain:  Is/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	In order to better understand your child's current level of health, please check any of the following body
AsthmaAllergiesEar InfectionsSeizuresDigestive ProblemsBedwettingPDD/AutismADD/ADHD Other:  Prenatal and Birth History:  Adopted? Complications during pregnancy? If so, please explain: Ultrasounds during pregnancy? If so, how many? Medications/drugs/caffeine during pregnancy? If so, please list type and amount:  Cigarette/Alcohol use during pregnancy? If so, please list type and amount:  Location of birth:HospitalBirthing CenterHome Birth Intervention:Mother InducedMother Medicated (Pitocin, etc.) ForcepsVacuum Extracted    Baby given Medication after delivery; List:  Complications during delivery? If so, please explain:  Genetic Disorders/Disabilities? If so, please explain:  Breast Fed? How long? Formula Fed? How long?  According to the National Safety Council, approximately 50% of children fall head first from a high place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain: Is/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	signals that your child has had or has previously had:
Digestive Problems Bedwetting PDD/Autism ADD/ADHD Other:  Prenatal and Birth History:  Adopted? Complications during pregnancy? If so, please explain: Ultrasounds during pregnancy? If so, how many?  Medications/drugs/caffeine during pregnancy? If so, please list type and amount:  Cigarette/Alcohol use during pregnancy? If so, please list type and amount:  Location of birth: Hospital Birthing Center Home Birth Intervention: Mother Induced Mother Medicated (Pitocin, etc.) Forceps Vacuum Extracted Baby given Medication after delivery; List:  Complications during delivery? If so, please explain:  Genetic Disorders/Disabilities? If so, please explain: Breast Fed? How long? Formula Fed? How long?  According to the National Safety Council, approximately 50% of children fall head first from a high place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain: Is/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	Headaches Postural Imbalances Growing Pains Scoliosis
Prenatal and Birth History:  Adopted? Complications during pregnancy? If so, please explain: Ultrasounds during pregnancy? If so, how many?  Medications/drugs/caffeine during pregnancy? If so, please list type and amount:  Cigarette/Alcohol use during pregnancy? If so, please list type and amount:  Cigarette/Alcohol use during pregnancy? If so, please list type and amount:  Location of birth:HospitalBirthing CenterHome  Birth Intervention: Mother Induced Mother Medicated (Pitocin, etc.) Forceps Vacuum Extracted Baby given Medication after delivery; List:  Complications during delivery? If so, please explain:  Genetic Disorders/Disabilities? If so, please explain:  Breast Fed? How long? Formula Fed? How long?  According to the National Safety Council, approximately 50% of children fall head first from a high place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain: listHas your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	Asthma Allergies Ear Infections Seizures
Prenatal and Birth History:  Adopted? Complications during pregnancy? If so, please explain: Ultrasounds during pregnancy? If so, how many?  Medications/drugs/caffeine during pregnancy? If so, please list type and amount:  Cigarette/Alcohol use during pregnancy? If so, please list type and amount:  Location of birth:HospitalBirthing CenterHome  Birth Intervention: Mother Induced Mother Medicated (Pitocin, etc.)  Forceps Vacuum Extracted  Baby given Medication after delivery; List:  Complications during delivery? If so, please explain:  Genetic Disorders/Disabilities? If so, please explain:  Breast Fed? How long? Formula Fed? How long?  According to the National Safety Council, approximately 50% of children fall head first from a high place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain:  Is/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	Digestive Problems Bedwetting PDD/Autism ADD/ADHD
Adopted? Complications during pregnancy? If so, please explain:	Other:
Adopted? Complications during pregnancy? If so, please explain: Ultrasounds during pregnancy? If so, how many? Medications/drugs/caffeine during pregnancy? If so, please list type and amount: Cigarette/Alcohol use during pregnancy? If so, please list type and amount: Location of birth: Hospital Birthing Center Home  Birth Intervention: Mother Induced Mother Medicated (Pitocin, etc.) Forceps Vacuum Extracted Baby given Medication after delivery; List: Complications during delivery? If so, please explain: Genetic Disorders/Disabilities? If so, please explain: Breast Fed? How long? Formula Fed? How long?  According to the National Safety Council, approximately 50% of children fall head first from a high place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain: ls/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	
Ultrasounds during pregnancy? If so, how many?  Medications/drugs/caffeine during pregnancy? If so, please list type and amount:  Cigarette/Alcohol use during pregnancy? If so, please list type and amount:  Location of birth:HospitalBirthing CenterHome  Birth Intervention: Mother Induced Mother Medicated (Pitocin, etc.)  Forceps Vacuum Extracted  Baby given Medication after delivery; List:  Complications during delivery? If so, please explain:  Genetic Disorders/Disabilities? If so, please explain:  Breast Fed? How long? Formula Fed? How long?  According to the National Safety Council, approximately 50% of children fall head first from a high place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain:  Is/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	
Medications/drugs/caffeine during pregnancy? If so, please list type and amount:	Complications during pregnancy? If so, please explain:
Cigarette/Alcohol use during pregnancy? If so, please list type and amount:	Ultrasounds during pregnancy? If so, how many?
Cigarette/Alcohol use during pregnancy? If so, please list type and amount:  Location of birth:HospitalBirthing CenterHome  Birth Intervention: Mother Induced Mother Medicated (Pitocin, etc.)  Forceps Vacuum Extracted  Baby given Medication after delivery; List:  Complications during delivery? If so, please explain:  Genetic Disorders/Disabilities? If so, please explain:  Breast Fed? How long? Formula Fed? How long?  According to the National Safety Council, approximately 50% of children fall head first from a high place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain:  Is/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	Medications/drugs/caffeine during pregnancy? If so, please list type and amount:
Location of birth:Birthing CenterHome  Birth Intervention: Mother Induced Mother Medicated (Pitocin, etc.)  Forceps Vacuum Extracted  Baby given Medication after delivery; List:  Complications during delivery? If so, please explain:  Genetic Disorders/Disabilities? If so, please explain:  Breast Fed? How long? Formula Fed? How long?  According to the National Safety Council, approximately 50% of children fall head first from a high place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain:  Is/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	
Birth Intervention: Mother Induced Mother Medicated (Pitocin, etc.) Forceps Vacuum Extracted Baby given Medication after delivery; List:  Complications during delivery? If so, please explain:  Genetic Disorders/Disabilities? If so, please explain:  Breast Fed? How long? Formula Fed? How long?  According to the National Safety Council, approximately 50% of children fall head first from a high place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain:  Is/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	Cigarette/Alcohol use during pregnancy? If so, please list type and amount:
Birth Intervention: Mother Induced Mother Medicated (Pitocin, etc.) Forceps Vacuum Extracted Baby given Medication after delivery; List:  Complications during delivery? If so, please explain:  Genetic Disorders/Disabilities? If so, please explain:  Breast Fed? How long? Formula Fed? How long?  According to the National Safety Council, approximately 50% of children fall head first from a high place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain:  Is/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	Location of birth: Hospital Birthing Center Home
Forceps Vacuum Extracted Baby given Medication after delivery; List: Complications during delivery? If so, please explain: Genetic Disorders/Disabilities? If so, please explain: Breast Fed? How long? Formula Fed? How long? Formula Fed? How long? According to the National Safety Council, approximately 50% of children fall head first from a high place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain: lis/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	
Baby given Medication after delivery; List:	
Complications during delivery? If so, please explain:	
Genetic Disorders/Disabilities? If so, please explain: Breast Fed? How long? Formula Fed? How long?  According to the National Safety Council, approximately 50% of children fall head first from a high place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain:  Is/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	
According to the National Safety Council, approximately 50% of children fall head first from a high place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain:  Is/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	
According to the National Safety Council, approximately 50% of children fall head first from a high place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain:	
place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain:  Is/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	Product red: now long: romaid red: now long:
place during the first year of life (i.e. a bed, changing table, down stairs, etc.).  Was this the case with your child? Please explain:  Is/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	According to the National Safety Council, approximately 50% of children fall head first from a high
Was this the case with your child? Please explain:  Is/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	
Is/Has your child been involved in any high impact or contact type sports (i.e. soccer, football, gymnastics,	
hockey hasehall cheerleading martial arts, etc.)?  If so, please list:	hockey, baseball, cheerleading, martial arts, etc.)? If so, please list:
If 50, ploads not.	If co, please list.
The above information is true and accurate to the best of my knowledge.	The above information is true and accurate to the best of my knowledge.
Patient or Guardian Signature: Date:	Patient or Guardian Signature: Date:

## Health History:

□ Pneumonia

□ Rheumatic Fever □ Smallpox

Below is a list of health issues that may seem unrelated to the purpose of your appointment. However, these questions must be answered carefully as these problems can affect your overall course of chiropractic care.

□ Mumps

## CHECK ANY OF THE FOLLOWING HEALTH ISSUES YOU HAVE EVER HAD:

□ Influenza

□ Pleurisy

	□ Polio □ Tuberculosis □ Whooping Coug □ Anemia □ Measles	<ul><li>☐ Heart Disease</li><li>☐ Heart Attack</li></ul>	<ul> <li>Arthritis</li> <li>Epilepsy</li> <li>Mental Disorders</li> <li>Thyroid Imbalance</li> <li>Eczema</li> </ul>	
CHECK ANY OF THE FO	LLOWING YOU	HAVE HAD IN THE PAST	YEAR:	
NERVOUS SYSTEM COI  Nervousness/anxiety Irritability/impatience Depression Attention deficit Stress Dizziness Forgetfulness Confusion Fainting Convulsions Cold Extremities  GENERAL Headaches Migraines Loss of Sleep Allergies Fatigue Fibromyalgia	F	Poor Appetite Excessive Appetite Excessive Thirst Excess Weight Significant Weight Loss Frequent Nausea Gas or Bloating After Meals Heartburn Comiting Diarrhea Constipation Abdominal Cramps Hemorrhoids Liver Problems Diagnosed IBS, Crohn's, Diverticulitis, Colitis Black/Bloody Stool	MALE/FEMALE  Menstrual Irregularity  Menstrual Cramps  Vaginal Pain/Infection  Breast Pain/Lumps  Prostate Dysfunction  Infertility Problems  Other:	
GENITO-URINARY  Bladder Trouble Discolored Urine Painful Urination Excessive Urination  EENT Vision Problems Sinus Infections Earaches Hearing Difficulty Tinnitus	- C - A - H - I - S	RDIOVASCULAR/RESPI Chest Pain Asthma High Blood Pressure Fregular Heartbeat Stroke High Cholesterol	FAMILY HISTORY The following family member have the same or similar problem(s) as I do:  Mother Father Sister Brother Spouse Child	bers